



The World Copper Factbook 2016

International Copper Study Group



About ICSG

The International Copper Study Group (ICSG) was formally established as an autonomous inter-governmental organization on 23 January 1992, following a series of Ad Hoc meetings sponsored by the United Nations (UNCTAD) in 1986 and 1987 to review the world situation of copper and discuss the need for such a body. ICSG serves to increase copper market transparency and promote international discussions and cooperation on issues related to copper.

In order to fulfill its mandate, the Study Group has three main objectives:

- Increase market transparency by promoting an exchange of information on production, consumption, stocks, trade, and prices of copper, by forecasting production and consumption, and by assessing the present and future capacities of copper mines, plants, smelters and refineries.
- Promote international cooperation on matters related to copper, such as health and the environment, research, technology transfer, regulations and trade.
- Provide a global forum where industry and governments can meet and discuss common problems/objectives. The ICSG is the only inter-government forum solely dedicated to copper.

The current members of ICSG are:

	Australia		Japan
	Belgium		Luxembourg
	Chile		Mexico
	China		Peru
	European Union		Poland
	Finland		Portugal
	France		Russian Federation
	Germany		Serbia
	Greece		Spain
	India		Sweden
	Iran		United States
	Italy		Zambia

As part of its mandate to provide a global forum where industry and governments can meet and discuss common problems and objectives, ICSG meetings are held twice per year, typically in the Spring and Fall at ICSG Headquarters in Lisbon, Portugal. The meetings of the Study Group are open to government members, their industry advisors and invited observers.

ICSG Officers and Secretariat

INTERNATIONAL COPPER STUDY GROUP OFFICERS FOR 2016

Chairman Mr Sergio Hernandez (Chile)
Vice-Chairman Mr Li Yusheng (China)

STANDING COMMITTEE

Chairman Mr Salim Bhabhrawala (U.S.A.)
Vice-Chairman Ms Yoriko Akashi (Japan)
Finance Committee Chairman Mr Henrique Santos (Portugal)

ENVIRONMENTAL AND ECONOMIC COMMITTEE

Chairman Mr Piotr Krawczyk (Poland)
Vice-Chairman Mr K D Diwan (India)

Contacts:

International Copper Study Group
Rua Almirante Barroso, 38-6º
1000-013 Lisbon, Portugal
Tel: +351-21-351-3870
Fax: +351-21-352-4035
e-mail: mail@icsg.org
website: www.icsg.org

STATISTICAL COMMITTEE

Chairman Mr Mark Brininstool (U.S.A.)
Vice-Chairman Ms Manuela Ramirez (Spain)
Vice-Chairman Ms Cao Mingyue (China)

INDUSTRY ADVISORY PANEL

Chairman Mr Mark Loveitt (IWCC)

SECRETARIAT

Secretary-General Mr Don Smale
Director of Market Research and Statistics Ms Ana Rebelo
Director of Economics and Environment Mr Carlos Risopatron
Manager of Statistical Analysis Mr Shairaz Ahmed
Secretary Ms Fatima Cascalho

Acknowledgements and Copyright:

ICSG would like to thank the International Wrought Copper Council, the International Copper Association, the Copper Development Association, the European Copper Institute, the U.S. Geological Survey, the U.S. National Park Service, the British Museum and Mr Luis Hernán Herreros Infante for their contributions to the Factbook.

The International Copper Study Group's World Copper Factbook © 2016 is published by the ICSG.

ICSG Publications

- **COPPER BULLETIN (monthly).** The ICSG Copper Bulletin includes annual and monthly statistics on copper and copper products, their production, usage and trade by country, as well as stocks and exchange prices, providing a global view of supply and demand. Subscribers to the Copper Bulletin receive the Yearbook as part of their annual subscription.
 - **ICSG STATISTICAL YEARBOOK.** The ICSG Copper Bulletin yearbook includes annual statistics on copper and copper products, their production, usage and trade by country, as well as stocks and exchange prices, providing a global view of supply and demand for the past 10 years. The Yearbook serves as a useful tool for consultations and analysis on the longer term evolution of world copper production, usage, stocks and prices. Subscribers to the Copper Bulletin receive the Yearbook as part of their annual subscription.
 - **DIRECTORY OF COPPER MINES AND PLANTS.** The Directory of Copper Mines and Plants highlights current capacity and provides a five year outlook of forecasted capacity for over 1,000 existing and planned copper mines, plants and refineries on a country by country basis, including separate tables for SX-EW plants. Salient details for each operation are included and the Directory separates operations between Operating & Developing and Exploration & Feasibility stages. The Directory is published twice per year.
 - **ICSG STATISTICAL DATABASE.** The ICSG maintains one of the world's most complete historical and current databases with statistics on copper production capacities, data on copper production, consumption, stocks, prices, recycling and trade for copper products. In 2012 ICSG launched its **online statistical database** that gives subscribers direct access to ICSG historical data. It also provides subscribers with specific extraction tools for downloading the data.
 - **DIRECTORY OF COPPER & COPPER ALLOY FABRICATORS (FIRST USE).** This directory provides a global overview of companies and plants involved in the first use of copper.
 - **MARKET STUDY: FABRICATION AND COPPER USE IN INDIAN SUBCONTINENT, ASEAN AND OCEANIA (2015).** A study focusing on providing a complete picture of fabrication and copper use in Indian Subcontinent, ASEAN and Oceania.
 - **MARKET STUDY: FABRICATION AND COPPER USE IN THE MIDDLE EAST AND NORTH AFRICA (2014).** A study focusing on providing a complete picture of fabrication and copper use in the Middle East, Egypt and India.
 - **SURVEY OF BRASS MILLS, COPPER PRODUCTS AND FOUNDRIES IN CHINA (2014).** The survey provides a detailed overview of China's industrial use of refined copper and scrap in the brass mills and foundries sectors.
 - **COPPER AND COPPER ALLOY SCRAP SUPPLY SURVEY IN EU-27 (2013).** The study compares scrap trade statistics and gives an analysis on material availability, copper content in trade and the economic logic of copper scrap dismantling.
 - **TAXATION, ROYALTIES AND OTHER FISCAL MEASURES APPLIED TO THE NON-FERROUS METALS INDUSTRY (2013).** A joint report by the ICSG, ILZSG and INSG, providing information on fiscal measures applied to mining and metals across various jurisdictions with a particular focus on copper, lead, zinc and nickel.
 - **STUDY OF BY-PRODUCTS OF LEAD, ZINC, COPPER AND NICKEL AND DIRECTORY – UPDATED (2015).** This joint report and directory builds on the 2012 report on the same topic and provides information on the by-product metals of copper, zinc, lead and nickel.
- For more information and updates on ICSG publications, please visit our website at www.icsg.org

Table of Contents

About ICSG

ICSG Officers and Secretariat
ICSG Publications

i
ii
iii

Table of Contents

1

Chapter 1: Cu Basics

2

What is Copper?
Copper Properties and Benefits
Selected Copper Definitions
Copper in History
Copper Today

2
3
4
5
6

Chapter 2: Copper Resources and Long-Term Availability of Copper

7

Copper Reserves and Resources
Are We Going to Run Out of Copper

7
9

Chapter 3: Copper Production

10

How is Copper Produced?
Copper Mine Production: World Copper Mine Production, 1900-2015
Copper Mine Production by Region: 1960 versus 2015
Copper Mine Production by Country: Top 20 Countries in 2015
Trends in copper Mining Capacity, 1999-2019
Top 20 Copper Mines by Capacity, basis 2016
Constraints on Copper Supply
Copper Smelter Production: World Copper Smelter Production 1980-2015
Trends in Copper Smelting Capacity, 1999-2019
Copper Smelter Production by Region, 1990-2015
Copper Smelter Production by Country: Top 20 Countries in 2015
Top 20 Copper Smelters by Capacity, basis 2016
World Refined Copper Production, 1960-2015
Trends in Refined Capacity, 1999-2019
Refined Copper Production by Region, 1990-2015
Refined Copper Production by Country: Top 20 Countries in 2015
Top 20 Copper Refineries by Capacity, basis 2016
World Copper & Copper Alloy Semis Production, 1980-2015

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

Copper and Copper Alloy Semis Production by Region, 1980 & 2015 28
Copper and Copper Alloy Semis Capacity by Region & Product 2016 29
Copper and Copper Alloy Semis Production by Country: Top 20 Countries, 2016 30

Chapter 4: Copper Trade

31

Major International Trade Flows of Copper Ores and Concentrates 32
Major International Trade Flows of Copper Blister and Anode 33
Major International Trade Flows of Refined Copper 34
Leading Exporters and Importers of Semi-Fabricated Copper Products, 2015 35
The Global Copper Market and the Commodity "Copper" 36
Copper Stocks, Prices and Usage (Jan 2001 - Jun 2016) 37

Chapter 5: Copper Usage

38

How is Copper Used? 38
World Refined Copper Usage, 1900-2015 39
Refined Copper Usage by Region, 1960, 1980 & 2015 40
World Refined Copper Usage per Capita: 1950-2015 41
Intensity of Refined Copper Usage 42
Total Copper Usage, Including Copper Scrap, 2004-2014 43
Major Uses of Copper: Electrical 44
Major Uses of Copper: Electronics and Communications 45
Major Uses of Copper: Construction 46
Major Uses of Copper: Transportation 47
Major Uses of Copper: Industrial Machinery and Equipment 48
Major Uses of Copper: Consumer and General Products 49
Major Uses of Copper: Usage by End-Use Sector and Region, 2015 50

Chapter 6: Copper Recycling

51

Copper Recycling Rate Definitions 52
Global Copper Recyclables Use, 2006-2014 53
ICSG Global Copper Scrap Research Project and recent scrap reports 54
The Flow of Copper 55
Industry Global Flows of Copper (2014) and Derived Recycling Rates 57

ANNEX

World Copper Production and Usage, 1960-2015 58

Chapter 1: Cu Basics

What is Copper?



Copper is a malleable and ductile metallic element that is an excellent conductor of heat and electricity as well as being corrosion resistant and antimicrobial. Copper occurs naturally in the Earth's crust in a variety of forms. It can be found in sulfide deposits (as chalcopyrite, bornite, chalcocite, covellite), in carbonate deposits (as azurite and malachite), in silicate deposits (as chrysocolla and diopside) and as pure "native" copper.

Copper also occurs naturally in humans, animals and plants. Organic life forms have evolved in an environment containing copper. As a nutrient and essential element, copper is vital to maintaining health. Life sustaining functions depend on copper.

Copper and copper-based alloys are used in a variety of applications that are necessary for a reasonable standard of living. Its continued production and use is essential for society's development. How society exploits and uses its resources, while ensuring that tomorrow's needs are not compromised, is an important factor in ensuring society's sustainable development.



Images courtesy of the Copper Development Association.

Copper is one of the most recycled of all metals. It is our ability to recycle metals over and over again that makes them a material of choice. Recycled copper (also known as secondary copper) cannot be distinguished from primary copper (copper originating from ores), once reprocessed. Recycling copper extends the efficiency of use of the metal, results in energy savings and contributes to ensuring that we have a sustainable source of metal for future generations.

The demand for copper will continue to be met by the discovery of new deposits, technological improvements, efficient design, and by taking advantage of the renewable nature of copper through reuse and recycling. As well, competition between materials, and supply and demand principles, contribute to ensuring that materials are used efficiently and effectively.

Copper is an important contributor to the national economies of mature, newly developed and developing countries. Mining, processing, recycling and the transformation of metal into a multitude of products creates jobs and generates wealth. These activities contribute to building and maintaining a country's infrastructure, and create trade and investment opportunities. Copper will continue to contribute to society's development well into the future.

Copper Properties and Benefits

Chemical Symbol	Cu
Atomic Number	29
Atomic Weight	63.54
Density	8960 kg m⁻³
Melting point	1356 K
Specific Heat cp (at 293 K)	0.383 kJ kg⁻¹ K⁻¹
Thermal conductivity	394 W m⁻¹ K⁻¹
Coefficient of linear expansion	16.5 x 10⁻⁶ K⁻¹
Young's Modulus of Elasticity	110 x 10⁹ N m⁻²
Electrical Conductivity (% IACS)	1.673 x 10⁸ ohm-m
Crystal Structure	Face-Centered Cubic

Copper makes vital contributions to sustaining and improving society. Copper's chemical, physical and aesthetic properties make it a material of choice in a wide range of domestic, industrial and high technology applications.

Alloyed with other metals, such as zinc (to form brass), aluminum or tin (to form bronzes), or nickel, for example, it can acquire new characteristics for use in highly specialized applications. In fact, society's infrastructure is based, in part, on copper.

Key Physical Properties of Copper



But copper's benefits extend beyond mechanical characteristics:

- Copper is **essential to the health** of plants, animal and humans. Deficiencies, as well as excesses, can be detrimental to health.
- **Antimicrobial Properties.** Due to copper's antimicrobial properties, copper and copper alloy products can be used to eliminate pathogens and reduce the spread of diseases.
- **Recycling.** Copper is one of the most recycled of all metals. Virtually all products made from copper can be recycled and recycled copper loses none of its chemical or physical properties.
- **Energy Efficiency.** Copper can improve the efficiency of energy production and distribution systems.

Selected Copper Definitions

- **Anode.** The positive terminal in an electrolytic cell where electrons leave a device to enter the external circuit. A copper anode at 99 percent purity will dissolve.
- **Blister.** The product of a converting furnace. It is an intermediate, more concentrated (with respect to the desired metal) material than matte, from which it is made, and is usually transferred to another furnace for further concentration.
- **Cathode.** The negative terminal in an electrolytic cell where copper is plated during electrowinning or electrolytic refining. Copper so plated is referred to as “cathode” and is generally about 99.99 percent pure.
- **Contained Copper.** Contained copper is defined as the analytical amount of copper outputted in concentrates and precipitates.
- **Copper concentrate.** A product of flotation milling. It composes sulfide minerals and entrained material and contains one-third each copper, iron, and sulfur. It can be processed pyrometallurgically in a smelter to produce matte or hydrometallurgically (pressure leaching) to produce pregnant leach solution, both products requiring further processing to obtain copper metal.
- **Direct melt scrap.** Direct-melt, or re-melt scrap is secondary material that can be used directly in a furnace without cleanup through the use of fluxes and poling and re-refining.
- **Electrorefining.** An electrolytic refining process where less pure copper anode is dissolved and high-purity copper is plated at the cathode.
- **Electrowinning.** An electrolytic refining process where the anode is inert, and rich (copper-loaded) electrolyte continually replaces lean (copper-depleted) electrolyte as copper is plated at the cathode.
- **Fire-refined copper.** The product of a fire-refining furnace. It is an intermediate, more concentrated (with respect to the desired metal) material than blister, from which it is made. Fire-refined copper contains about 99 percent copper, the exact percentage depending on the process parameters.
- **Primary copper.** Copper extracted from ores and recovered as copper metal or copper-bearing chemicals.
- **Secondary refined material.** Secondary refined material represents scrap that has been fire-refined, or that has been converted to anode at the smelter level and then electrolytically refined.
- **Solvent extraction.** A method of separating one or more metals from a leach solution by treating with a solvent that will extract the required metal, leaving the others. The metal is recovered from the solvent by further treatment.
- **Stocks.** ICSG reports refined copper stocks as those held by the exchanges, consumers, producers and governments. Merchant stocks are included where it is certain that these are nonduplicative to those already reported. Only refined products at plant sites are included. Items such as wire rod, tube and other semifabricated forms are not included.
- **Usage.** Copper usage represents refined copper used by semifabricators. Usage data is either directly reported, or ICSG estimates an **apparent usage** using the following formula: Refined copper production + refined imports - refined exports + refined beginning stocks - ending stocks.

Sources: ICSG and USGS.

Copper in History

Archaeological evidence demonstrates that copper was one of the first metals used by humans and was used at least 10,000 years ago for items such as coins and ornaments in western Asia. During the prehistoric **Chalcolithic Period** (derived from *chalkos*, the Greek word for copper), man discovered how to extract and use copper to produce ornaments and implements. As early as the 4th to 3rd millennium BC, workers extracted copper from Spain's Huelva region.

The discovery that copper, when alloyed with tin, produces bronze, led to the **Bronze Age**, c. 2,500 BC. Israel's Timna Valley provided copper to the Pharaohs (an Egyptian papyrus records the use of copper to treat infections and to sterilize water). Cyprus supplied much of the Phoenician, Greek and Roman needs for copper. "Copper" is derived from the latin *Cyprium*, literally Cyprian metal. The Greeks of Aristotle's era were familiar with brass as a valued copper alloy. In South America, the pre-Columbian Maya, Aztec and Inca civilizations exploited copper, in addition to gold and silver. During the **Middle Ages**, copper and bronze works flourished in China, India and Japan.

The discoveries and inventions relating to electricity and magnetism of the late 18th and early 19th centuries by scientists such as Ampere, Faraday and Ohm, and the products manufactured from copper, helped launch the **Industrial Revolution** and propel copper into a new era. **Today**, copper continues to serve society's needs. Although copper has been in use for at least 10,000 years, innovative applications for copper are still being developed as evidenced by the development of the copper chip by the semi-conductors industry.



Images courtesy of the British Museum, the Copper Development Association and ICSG.

Copper Today

The global demand for copper continues to grow: world refined usage has more than tripled in the last 50 years thanks to expanding sectors such as electrical and electronic products, building construction, industrial machinery and equipment, transportation equipment, and consumer and general products. Some of the highlights of 2015 copper production and usage are listed below. In the chapters that follow, more in-depth information is presented on copper production, trade, usage, and recycling. For the most up-to-date information on the global copper market, please visit our website at www.icsg.org.

Copper Production Highlights



Preliminary figures indicate that global **copper mine production** in 2015 reached 19.1 million tonnes. The largest producer of mined copper was **Chile** (5.8 million tonnes).



Smelter production in 2015 reached around 18.6 million tonnes. **China** was the largest producer of blister & anode in 2015 (6.9 million tonnes)



Refinery Production in 2015 increased to 22.9 million tonnes, including 3.9 million tonnes of secondary refined production.

Copper Usage Highlights

Refined copper usage (usage by semis plants or the first users of copper) in 2015 reached 23.0 million tonnes. **China** was also the largest consumer of refined copper in 2015 with apparent usage of around 11.3 million tonnes.



According to the International Copper Association (ICA), equipment was the largest copper end-use sector in 2015, followed by building construction and infrastructure.



New copper applications being developed include antimicrobial copper touch surfaces, lead-free brass plumbing, high tech copper wire, heat exchangers, and new consumer products as well.



Images courtesy of CDA and Luis Hernán Herreros from www.visnu.cl, © Copyright Anglo American (Faena Los Bronces y Mantos Blancos – Chile)

Chapter 2: Copper Resources and Long-Term Availability of Copper

Copper Reserves and Resources

Typically, the future availability of minerals is based on the concept of reserves and resources. Reserves are deposits that have been discovered, evaluated and assessed to be economically profitable to mine. Resources are far bigger and include reserves, discovered deposits that are potentially profitable, and undiscovered deposits that are predicted based on preliminary geological surveys. (see definitions below)

According to the United States Geological Survey (USGS), copper reserves currently amount to around 720 million tonnes (Mt) and identified and undiscovered copper resources are estimated to be around 2,100 Mt and 3,500 Mt, respectively. The latter does not take into account the vast amounts of copper found in deep sea nodules and land-based and submarine massive sulphides. Current and future exploration opportunities will lead to increases in both reserves and known resources.

Definitions (<http://minerals.usgs.gov/minerals/pubs/mcs/2014/mcsapp2014.pdf>)


Resource: A concentration of naturally occurring solid, liquid, or gaseous material in or on the Earth's crust in such form and amount that economic extraction of a commodity from the concentration is currently or potentially feasible.

Identified Resources: Resources whose location, grade, quality, and quantity are known or estimated from specific geologic evidence. Identified resources include economic, marginally economic, and sub-economic components.

Undiscovered Resources: Resources, the existence of which are only postulated, comprising deposits that are separate from identified resources. Undiscovered resources may be postulated in deposits of such grade and physical location as to render them economic, marginally economic, or sub-economic.

Reserves: That part of the reserve base (part of an identified resource that meets specified minimum physical and chemical criteria related to current mining and production practices, including those for grade, quality, thickness, and depth) which could be economically extracted or produced at the time of determination. The term reserves need not signify that extraction facilities are in place and operative.



2015 World Copper Reserves & Mine Production ^{1/}
(undiscovered resources not including deep sea nodules and land-based and submarine massive sulfides - contained copper)



1/ Source: USGS (resources/reserves data) and ICSG (capacity/production data)

Global Distribution of Identified and Undiscovered Copper Resources in Porphyry and Sediment-hosted Stratabound Copper Deposits ^{1/}

In 2013 the U.S. Geological Survey (USGS) completed a geology-based, cooperative international assessment of copper resources of the world ^{2/}. The USGS assessed undiscovered copper in two deposit types that account for about 80% of the world's copper supply. Porphyry copper deposits account for about 60% of the world's copper. In porphyry copper deposits, copper ore minerals are disseminated in igneous intrusions. Sediment-hosted stratabound copper deposits, in which copper is concentrated in layers in sedimentary rocks, account for about 20% of the world's identified copper. The mean undiscovered totals for porphyry and sediment-hosted deposits are 3,100 and 400 Mt respectively, resulting in a global total of 3,500 Mt of copper. With identified copper resources currently estimated at 2,100 Mt, total copper resources (undiscovered + identified) are estimated at 5,600 Mt.




1/ Undiscovered Copper Resources - A Global Assessment, April 2014, Presentation at ICSG meeting, Lisbon, by Mrs Jane M. Hammarstrom (USGS Global Mineral Resource Assessment Team)
 2/ Supporting studies, including documentation of the assessment methodology and descriptions of individual tracts, are available on the USGS Mineral Resources Program Web site, at <http://minerals.usgs.gov/global/>.

Are We Going to Run Out of Copper¹?

It is highly improbable. Since 1950, based on the then current rate of demand, there has always been, on average, 40 years of reserves, and significantly greater amounts of known resources (USGS data). In addition, recycling, innovation and mining exploration continue to contribute to the long-term availability of copper.

Despite increased demand for copper produced from ore in recent years, increases in reserves have grown, and there is more identified copper available to the world than at any other time in history.



In the period 2005-2015, 182 million tonnes of copper have been mined. In that same period however, reserves have grown by 250 million tonnes. This reflects additional exploration, technological advances and the evolving economics of mining.

¹/ Based on the International Copper Association briefing note on copper's long-term availability. See more at <http://copperalliance.org/core-initiatives/sd/availability/>

Technology has a key role to play in addressing many of the challenges faced by new copper production. Known and as yet unknown innovations will ensure new mine production continues to provide vital copper supplies.

In addition copper recycling plays an important role in copper availability since today's primary copper is tomorrow's recycled material. Unlike other commodities such as energy or food, copper is not "consumed". Copper is one of the few raw materials which can be recycled repeatedly without any loss of performance, and key stakeholders such as policy-makers, scrap collectors, copper producers and recyclers must all focus on ensuring that yesterday's metal is recycled and re-used.

While this will ensure a progressive move towards a more sustainable economy, the loop cannot be completely closed for two reasons. Firstly, demand will continue to increase due to population growth, product innovation and economic development. Secondly in most applications, copper stays in use for decades.

Consequently, meeting future metals demand will continue to require a combination of primary raw materials, coming from mines, as well as recycled materials, while innovative policies and technology should continue to contribute to improvements in recycling performance and resource efficiency.

Based on the latest knowledge on geological availability and continuous industry innovation there are good reasons to believe that copper will continue to be a vital and positive contributor to society well into the future.

Chapter 3: Copper Production

How is Copper Produced?

Geologists look for signs and/or anomalies that would indicate the presence of a mineral deposit. Under the right geological, economic, environmental and legal conditions, mining can proceed.

Primary copper production starts with the extraction of copper-bearing ores. There are three basic ways of copper mining: surface, underground mining and leaching. Open-pit mining is the predominant mining method in the world.

After the ore has been mined, it is crushed and ground followed by a concentration by flotation. The obtained copper concentrates typically contain around 30% of copper, but grades can range from 20 to 40 per cent. In the following smelting process, sometimes preceded by a roasting step, copper is transformed into a “matte” containing 50-70% copper. The molten matte is processed in a converter resulting in a so-called blister copper of 98.5-99.5% copper content. In the next step, the blister copper is fire refined in the traditional process route, or, increasingly, re-melted and cast into anodes for electro-refining.



The output of electro-refining is refined copper cathodes, assaying over 99.99% of copper.

Alternatively, in the hydrometallurgical route, copper is extracted from mainly low grade oxide ores and also some sulphide ores, through leaching (solvent extraction) and electrowinning (SX-EW process). The output is the same as through the electro-refining route - refined copper cathodes. ICSG estimates that in 2015, refined copper production from SX-EW represented 17% of total copper refined production.

Refined copper production derived from mine production (either from metallurgical treatment of concentrates or SX-EW) is referred to as “primary copper production”, as obtainable from a primary raw material source. However, there is another important source of raw material which is scrap. Copper scrap derives from either metals discarded in semis fabrication or finished product manufacturing processes (“new scrap”) or obsolete end-of-life products (“old scrap”). Refined copper production attributable to recycled scrap feed is classified as “secondary copper production”. Secondary producers use processes similar to those employed for primary production. ICSG estimates that in 2015, at the refinery level, secondary copper refined production reached 17% of total copper refined production.




Copper Mine Production

World Copper Mine Production, 1900-2015

(thousand metric tonnes copper)

Source: ICSG




Since 1900, when world production was less than 500 thousand tonnes copper, world copper mine production has grown by 3.2% per annum to 19.1 million tonnes in 2015. SX-EW production, virtually non-existent before the 1960s, exceeded 3.9 million tonnes in 2015.

Copper Mine Production by Region, 1960 versus 2015

Thousand metric tonnes copper

Source: ICSG




From less than 750,000 tonnes copper in 1960, copper mine production in Latin America has increased to 7.9 million tonnes in 2015, representing 41% of the global total. Asia has also exhibited significant growth. The region's share of global production has increased from just 6% to 17% over the respective period.

Copper Mine Production by Country: Top 20 Countries in 2015

(Thousand metric tonnes)

Source: ICSG




Chile accounted for almost one-third of world copper mine production in 2015 with mine output of 5.76 million tonnes copper.

Trends in Copper Mining Capacity, 1999-2019

Thousand metric tonnes (Bars) and Annual percentage change (Line)

Source: ICSG Directory of Copper Mines and Plants – July 2016



Copper mining capacity is estimated to reach 26.5 million tonnes copper in 2019, with 21% being SX-EW production. This will be 17% higher than global capacity of 22.6 million tonnes copper recorded in 2015. Growth in copper mine capacity is expected to average 4% per year going forward, as new capacity is added at existing and some new operations.

Note: Capacity data reflects production capabilities not necessarily production forecasts

Top 20 Copper Mines by Capacity (basis 2016)

Thousand metric tonnes copper

Source: ICSG Directory of Copper Mines and Plants – July 2016

Rank	Mine	Country	Owner(s)	Source	Capacity
1	Escondida	Chile	BHP Billiton (57.5%), Rio Tinto Corp. (30%), Japan Escondida (12.5%)	Concs & SX-EW	1,200
2	Grasberg	Indonesia	P.T. Freeport Indonesia Co. (PT-FI), Rio Tinto	Concentrates	780
3	Morenci	United States	Freeport-McMoRan Inc 72%, 28% affiliates of Sumitomo Corporation	Concs & SX-EW	520
4	Buenavista del Cobre (former Cananea)	Mexico	Grupo Mexico	Concs & SX-EW	510
5	Collahuasi	Chile	Anglo American (44%), Glencore plc (44%), Mitsui (8.4%), JX Holdings (3.6%)	Concs & SX-EW	500
6	El Teniente	Chile	Codelco	Concs & SX-EW	452
7	Antamina	Peru	BHP Billiton (33.75%), Teck (22.5%), Glencore plc (33.75%), Mitsubishi Corp. (10%)	Concentrates	450
8	Los Bronces	Chile	Anglo American 50.1%, Mitsubishi Corp. 20.4%, Codelco 20%, Mitsui 9.5%	Concs & SX-EW	435
9	Polar Division (Norilsk/ Talnakh Mills)	Russia	Norilsk Nickel	Concentrates	430
10	Los Pelambres	Chile	Antofagasta Plc (60%), Nippon Mining (25%), Mitsubishi Materials (15%)	Concentrates	420
11	Radomiro Tomic	Chile	Codelco	Concs & SX-EW	370
12	Cerro Verde II (Sulphide)	Peru	Freeport-McMoRan Copper & Gold Inc. 54%, Compañía de Minas Buenaventura 19.58%, Sumitomo 21%	Concentrates	340
13	Chuquibambilla	Chile	Codelco	Concs & SX-EW	325
14	Kansanshi	Zambia	First Quantum Minerals Ltd (80%), ZCCM (20%)	Concs & SX-EW	285
15	Bingham Canyon	United States	Kennecott	Concentrates	280
16	Andina	Chile	Codelco	Concentrates	260
17	Batu Hijau	Indonesia	Pt Newmont Nusa Tenggara (PT Pukuafu 20%, Newmont 41.5%, Sumitomo Corp., Sumitomo Metal Mining & Mitsubishi Materials 31.5%, PT Multi Daerah Bersaing 7%)	Concentrates	250
17	Toromocho	Peru	Chinalco	Concentrates	250
19	Olympic Dam	Australia	BHP Billiton	Concs & SX-EW	225
20	Cuajone	Peru	Grupo Mexico (54.1%), Marmon Corp. (15%), Freeport-McMoRan Copper & Gold Inc. (13.9%)	Concentrates	212

Note: Capacity data reflects production capabilities not necessarily production forecasts

Constraints on Copper Supply


With copper concentrate in strong demand, there has been growing interest in understanding the obstacles that can prevent copper mine supply from coming on-stream. Below are some of the **operational and financial constraints** identified from the study. For more information about ICSG research related to constraints on copper supply, please contact the ICSG Secretariat at mail@icsg.org

- Declining ore grades: a serious issue in developed copper areas such as the USA and Chile
- Project finance: prolonged economic and price volatility may have significant impact on cost of capital
- Tax & investment regimes: recent research indicates these are less important than geological endowments
- Other cost issues: lower capital expenditure may have adverse long term effect on copper supply; operating cost escalation
- Water supply: a critical issue in dry mining districts
- Energy: coal is the fuel chosen to power main copper mines and processes... climate change may increase costs
- Other environmental issues: governments are becoming more aware of the impact of mining to the surrounding environment in recent years. In countries like Peru and the Philippines, the relationship with indigenous community is also a key factor.
- Resource nationalism: It has become a priority for certain governments to develop their mineral resources that have not been exploited until now. While willing to develop their natural resources, countries might be seeking to extract strong revenue flows from them. It will be important to balance royalty/taxation levels with the need to encourage capital investment to develop their rising industries.
- Sulphuric acid supply and price: 16% cost factor for SX-EW projects
- Skilled labor: open labor markets would help address this constraint
- Labor strikes: tend to increase when refined prices are high and GDP is growing faster, but tend to be longer and less frequent otherwise
- High domestic costs if there is “Dutch disease” (resulting in higher exchange rates due in part to strong exports)
- Rate between imported inputs and domestic input costs affected by the currency strength of the producer
- Political risks: Security and transport accessibility is crucial to mine operation



Copper Smelter Production

World Copper Smelter Production, 1980-2015
Thousand metric tonnes copper
Source: ICSG




Smelting is the pyrometallurgical process used to produce copper metal. In 2015, world copper smelter production reached 18.6 million tonnes copper. Recently, the trend to recover copper directly from ores through leaching processes has been on the increase. Primary smelters use mine concentrates as their main source of feed (although some use copper scrap as well). Secondary copper smelters use copper scrap as their feed.

Trends in Copper Smelting Capacity, 1999 and 2019

Percentage share of total capacity, by technology type

Source: ICSG Directory of Copper Mines and Plants – July 2016




The use of Flash/Continuous technology accounted for 59% in total copper smelting capacity in 1999. This share rose to 72% in 2015. It is expected to remain around this level until 2019.

Note: Capacity data reflects production capabilities not necessarily production forecasts

Copper Smelter Production by Region, 1990-2015

Thousand metric tonnes

Source: ICSG




Asia's share of world copper smelter output jumped from 27% in 1990 to almost 60% in 2015 as smelter production in China expanded rapidly.

Copper Smelter Production by Country: Top 20 Countries in 2015

Thousand metric tonnes

Source: ICSG



In 2015, China accounted for over a third of world copper smelter production, followed by Chile and Japan with 8% share each and Russian Federation (5%).

Note: Capacity data reflects production capabilities not necessarily production forecasts

Top 20 Copper Smelters by Capacity (basis 2016)

Thousand metric tonnes copper

Source: ICSG Directory of Copper Mines and Plants – July 2016

Rank	Smelter	Country	Operator/Owner(s)	Process	Capacity
1	Guixi (smelter)	China	Jiangxi Copper Corp.	Outokumpu Flash	900
2	Birla Copper (Dahej)	India	Birla Group	Outokumpu Flash, Ausmelt, Mitsubishi	500
3	Hamburg	Germany	Aurubis	Outokumpu, Contimelt, Electric	450
3	Besshi/ Ehime (Toyo)	Japan	Sumitomo Metal Mining Co. Ltd.	Outokumpu Flash	450
3	Saganoseki/ Ooita (smelter)	Japan	Pan Pacific Copper Co. Ltd	Outokumpu Flash	450
6	El Teniente (Caletones)	Chile	Codelco Chile	Reverberatory/ Teniente Conv.	400
6	Jinchuan (smelter)	China	Jinchuan Non- Ferrous Metal Co.	Reverberatory/ Kaldo Conv.	400
6	Jinchuan (Fangchenggang)	China	Jinchuan Non-Ferrous Metal Co.	Flash smelter	400
6	Jinguan (smelter)	China	Tongling Non-Ferrous Metals Group	Flash Smelter	400
6	Xiangguang copper (smelter)	China	Yanggu Xiangguang Copper Co	Outokumpu Flash	400
6	Sterlite Smelter (Tuticorin)	India	Vedanta	Isasmelt Process	400
6	Norilsk (Nikelevy, Medny)	Russia	Norilsk Nickel	Reverb, Electric, Vanyukov	400
13	Codelco Norte (smelter)	Chile	Codelco	Outokumpu/ Teniente Converter	380
14	Pirdop (smelter)	Bulgaria	Aurubis (99.77%)	Outokumpu Flash	360
14	Ilo Smelter	Peru	Southern Copper Corp. (Grupo Mexico 75.1%)	Isasmelt Process	360
16	Onahama/ Fukushima	Japan	Mitsubishi Materials Corp. (49.29%), Dowa Metals & Mining Co. Ltd.(31.15%), Furukawa Metals & Resources Co. Ltd. (12.67%)	Mitsubishi/ Reverb.	354
17	Jinlong (Tongdu)	China	Tongling Nonferrous Metals Corp. (57.4%), Sumitomo (35%), Pingguo Aluminium Co.	Flash Smelter	350
17	Yunnan	China	Yunnan Copper Industry Group (Local Government)	Isasmelt Process	350
19	Naoshima/ Kagawa (smelter)	Japan	Mitsubishi Materials Corp.	Mitsubishi Continuous	342
20	Isabel/ Leyte (PASAR)	Philippines	Glencore plc 78.2%, Local investors 21.8%	Outokumpu Flash	330


Note: Capacity data reflects production capabilities not necessarily production forecasts

Refined Copper Production

World Refined Copper Production, 1960-2015

Thousand metric tonnes

Source: ICSG




With the emergence of solvent extraction-electrowinning, (SX-EW) technology, refined copper produced from leaching ores has been on the rise, increasing from less than 1% of world refined copper production in the late 1960's to 17% of world output in 2015.

Trends in Refined Capacity, 1999-2019

Thousand metric tonnes copper

Source: ICSG Directory of Copper Mines and Plants - July 2016




This chart shows world copper refinery capacity by refining process. The ratio between production and capacity is called the capacity utilization rate. The world refinery capacity utilization rate was around 84% in 2015.

Note: Capacity data reflects production capabilities not necessarily production forecasts

Refined Copper Production by Region, 1990-2015

Thousand metric tonnes

Source: ICSG




Regions with the highest output of refined copper in **1990**: the **Americas** (4,250 kt), followed by **Europe** (3,000 kt)

Leading region in the world in **2015**: **Asia** (12,013 kt) as compared to 2,505kt in 1990.

Refined Copper Production by Country: Top 20 Countries in 2015

Thousand metric tonnes

Source: ICSG



In 2015, China accounted for over a third of world copper refined production, followed by Chile (12%), Japan (6%) and the United States (5%).

Top 20 Copper Refineries by Capacity (basis 2016)

Thousand metric tonnes copper

Source: ICSG Directory of Copper Mines and Plants – July 2016

Rank	Refinery	Country	Owner(s)	Process	Capacity
1	Guixi	China	Jiangxi Copper Corporation	Electrolytic	900
2	Jinchuan	China	Jinchuan Non Ferrous Co.	Electrolytic	650
3	Chuquicamata Refinery	Chile	Codelco	Electrolytic	600
3	Daye/ Hubei (refinery)	China	Daye Non-Ferrous Metals Co.	Electrolytic	600
5	Yunnan Copper	China	Yunnan Copper Industry Group (64.8%)	Electrolytic	500
5	Birla	India	Birla Group Hidalgo	Electrolytic	500
7	Pyshma Refinery	Russia	UMMC (Urals Mining & Metallurgical Co.)	Electrolytic	460
8	Toyo/Niihama (Besshi)	Japan	Sumitomo Metal Mining Co. Ltd.	Electrolytic	450
8	Amarillo	United States	Grupo Mexico	Electrolytic	450
10	Onsan Refinery I	Korean Republic	LS-Nikko Co. (LS, Nippon Mining)	Electrolytic	440
11	Hamburg (refinery)	Germany	Aurubis	Electrolytic	416
12	El Paso (refinery)	United States	Freeport-McMoRan Copper & Gold Inc.	Electrolytic	415
13	Las Ventanas	Chile	Codelco	Electrolytic	410
14	Jinchuan (Fangchenggang refinery)	China	Jinchuan Non-Ferrous Metal Co.	Electrolytic	400
14	Jinlong (Tongdu) (refinery)	China	Tongling NonFerrous Metal Corp. 52 %, Sharpline International 13%, Sumitomo Corp. 7.5%, Itochu Corp. 7.5%	Electrolytic	400
14	Jinguan (refinery)	China	Tongling Non-Ferrous Metals Group	Electrolytic	400
14	Shandong Fangyuan (refinery)	China	Dongying, Shandong	Electrolytic	400
14	Xiangguang copper (refinery)	China	Yanggu Xiangguang Copper Co	Electrolytic	400
14	Sterlite Refinery	India	Vedanta	Electrolytic	400
20	CCR Refinery (Montreal)	Canada	Glencore plc	Electrolytic	370


Note: Capacity data reflects production capabilities not necessarily production forecasts

World Copper and Copper Alloy Semis Production

World Copper and Copper Alloy Semis Production, 1980-2015^P

Thousand metric tonnes

Source: ICSG




Semis fabricators process refinery shapes such as cathodes, wire bar, ingot, billet slab and cake into semi-finished copper and copper alloy products using both unwrought copper materials and direct melt scrap as raw material feed. Semis fabricators are considered to be the “first users” of refined copper and include wire rod plants and brass mills.

P / Preliminary. For some countries still incomplete

Copper and Copper Alloy Semis Production by Region, 1980 & 2015^P

Thousand metric tonnes

Source: ICSG



Asia accounted for 80% (or almost 22.6 million metric tonnes) of semis output in 2015, compared to 23% in 1980.


P / Preliminary. For some countries still incomplete

Copper & Copper Alloy Semis Production Capacity by Region & Product

Source: ICSG Directory of Copper and Copper Alloy Fabricators 2016

Semis Production Capacity by Region, 2016 (%)


Source: ICSG



In 2016, **China** will account for the largest share of world semis production capacity (41%) and the largest number of semis plants (582).

Semis Production Capacity by Product, 2015 vs 2016 (million tonnes gross weight)

Source: ICSG




Wire rod plants are estimated to account for 58% of world first use capacity in 2016, or 31.4 million tonnes.

Note: Capacity data reflects production capabilities not necessarily production forecasts

Copper and Copper Alloy Semis Production Capacity by Country: Top 20 Countries, 2016

Thousand metric tonnes

Source: ICSG Directory of Copper and Copper Alloy Fabricators 2016




Note: Capacity data reflects production capabilities not necessarily production forecasts

Chapter 4: Copper Trade

Copper products across the value chain are traded internationally. Often, countries where upstream copper production capacity exceeds downstream production capacity will import the raw materials needed to meet their production needs, and vice versa. **Major product categories** of copper traded internationally include:

- Copper concentrates
- Copper blister and anode
- Copper cathode and ingots
- Copper scrap and
- Copper semis


Copper powders and compounds are also traded globally, but typically in much smaller quantities. In addition, copper is contained in end-use products that are traded globally including automobiles, appliances, electronic equipment and other products. Changes in **trade regulations**, such as import duties or export quotas, can have significant impacts on the international trade of copper. For more information about the international trade of copper and changes in regulations that can affect the trade of copper, please contact the ICSG Secretariat at mail@icsg.org




¹ Gross metal weight.

² Exports and Imports might not match due to under-reporting or product misclassification

World Copper Imports by Product Category, 2015 /2
 Thousand metric tonnes copper (unless otherwise noted)
 Source: ICSG



World Copper Exports by Product Category, 2015 /2
 Thousand metric tonnes copper (unless otherwise noted)
 Source: ICSG



Major International Trade Flows of Copper Ores and Concentrates¹

Major **Exporters** of Copper Ores and Concentrates, 2015

1. Chile
2. Peru
3. Australia
4. Indonesia
5. Canada
6. Mongolia
7. United States
8. Brazil
9. Mexico
10. Spain



Major **Importers** of Copper Ores and Concentrates, 2015

1. China
2. Japan
3. India
4. Spain
5. Korean Rep.
6. Germany
7. Bulgaria
8. Brazil
9. Finland
10. Sweden

Image courtesy of the Copper Development Association.

¹Figure is intended to illustrate trade flows but not actual trade routes. Detailed trade matrices are available in ICSG Statistical Yearbook.

Major International Trade Flows of Copper Blister and Anode¹

Major **Exporters** of Copper Blister and Anode, 2015

1. Chile
2. Bulgaria
3. Spain
4. South Africa
5. Belgium
6. Armenia
7. United States
8. Italy
9. Netherlands
10. China



Major **Importers** of Copper Blister and Anode, 2015

1. China
2. Belgium
3. India
4. Canada
5. Korean Rep.
6. Germany
7. Australia
8. Brazil
9. Austria
10. Philippines

Image courtesy of the Copper Development Association.

¹Figure is intended to illustrate trade flows but not actual trade routes. Detailed trade matrices are available in ICSG Statistical Yearbook.

Major International Trade Flows of Refined Copper¹

Major **Exporters** of Refined Copper, 2015

1. Chile
2. Russian Fed.
3. Japan
4. Australia
5. Kazakhstan
6. India
7. Poland
8. Korean Rep.
9. Peru
10. Canada



Major **Importers** of Refined Copper, 2015


1. China
2. Germany
3. United States
4. Italy
5. Taiwan
6. Turkey
7. Korean Rep.
8. Malaysia
9. Thailand
10. France

Image courtesy of the Copper Development Association.

¹Figure is intended to illustrate trade flows but not actual trade routes. Detailed trade matrices are available in ICSG Statistical Yearbook.

Leading Exporters and Importers of Semi-Fabricated Copper Products, 2015

Thousand metric tonnes, Source: ICSG



The Global Copper Market and the Commodity “Copper”

Copper, as any other good or merchandise, is traded between producers and consumers. Producers sell their present or future production to clients, who transform the metal into shapes or alloys, so that downstream fabricators can transform these into different end-use products. One of the most important factors in trading a commodity such as copper is the settlement price for the present day (spot price) or for future days.


Exchanges

The role of a commodity exchange is to facilitate and make transparent the process of settling prices. Three commodity exchanges provide the facilities to trade copper: The London Metal Exchange (LME), the Commodity Exchange Division of the New York Mercantile Exchange (COMEX/NYMEX) and the Shanghai Futures Exchange (SHFE). In these exchanges, prices are settled by bid and offer, reflecting the market's perception of supply and demand of a commodity on a particular day. On the LME, copper is traded in 25 tonne lots and quoted in US dollars per tonne; on COMEX, copper is traded in lots of 25,000 pounds and quoted in US cents per pound; and on the SHFE, copper is traded in lots of 5 tonnes and quoted in Renminbi per tonne. More recently, mini contracts of smaller lots sizes have been introduced at the exchanges.

Exchanges also provide for the trading of futures and options contracts. These allow producers and consumers to fix a price in the future, thus providing a hedge against price variations. In this process the participation of speculators, who are ready to buy the risk of price variation in exchange for monetary reward, gives liquidity to the market. A futures or options contract defines the quality of the product, the size of the lot, delivery dates, delivery warehouses and other aspects related to the trading process. Contracts are unique for each exchange. The existence of futures contracts also allows producers and their clients to agree on different price settling schemes to accommodate different interests.

Exchanges also provide for warehousing facilities that enable market participants to make or take physical delivery of copper in accordance with each exchange's criteria.


Average Annual Copper Prices (LME, Grade A, Cash), 1960-2015



Copper Stocks, Prices and Usage (Jan 2001-Jun 2016)

Thousand metric tonnes and US cents/pound

Source: ICSG



Chapter 5: Copper Usage

How Is Copper Used?

Copper is shipped to fabricators mainly as cathode, wire rod, billet, cake (slab) or ingot. Through extrusion, drawing, rolling, forging, melting, electrolysis or atomization, fabricators form wire, rod, tube, sheet, plate, strip, castings, powder and other shapes. The fabricators of these shapes are called the first users of copper. The total use of copper includes copper scrap that is directly melted by the first users of copper to produce copper semis.

Copper and copper alloy semis can be further transformed by downstream industries for use in end use products such as automobiles, appliances, electronics, and a whole range of other copper-dependent products in order to meet society's needs. This section provides a range of information about refined copper usage, total use, major uses of copper and end-use.


For the most up-to-date information on refined copper usage, please visit the ICSG website at www.icsg.org



World Refined Copper Usage, 1900-2015

Thousand metric tonnes

Source: ICSG




Since 1900, apparent usage for refined copper has increased from less than 500 thousand tonnes to 23 million metric tonnes in 2015 as usage over the period grew by a compound annual growth rate of 3.4% per year.

Refined Copper Usage by Region, 1960, 1980 & 2015

Thousand metric tonnes


Source: ICSG



The key driver of global refined copper usage has been Asia, where demand has expanded almost eight-fold over the last 30 years.

World Refined Copper Usage* per Capita: 1950-2015

Sources: ICSG and US Census Bureau




*Refined copper is typically consumed by semis fabricators or the “first users” of refined copper, including ingot makers, master alloy plants, wire rod plants, brass mills, alloy wire mills, foundries and foil mills. As a result, per capita consumption of refined copper refers to the amount of copper consumed by industry divided by the total population and does not represent consumption of copper in finished products per person.

Intensity of Refined Copper Usage*

Sources: ICSG and International Monetary Fund


2015 data	GDP per capita (US\$)	Intensity (tonnes/US\$bn)
Australia	51182	8.162
Belgium	40529	557.356
Brazil	8670	181.357
Canada	43281	101.144
Chile	13342	330.096
China	8141	1,015.055
Egypt	3710	459.569
France	37653	78.507
Germany	40952	362.881
India	1604	220.930
Indonesia	3362	267.096
Iran	4908	379.354
Italy	29866	319.416
Japan	32479	241.860
Korean Rep.	27222	525.919
Malaysia	9501	768.489
Mexico	9452	316.501
Poland	12492	591.179
Russian Fed.	9243	241.599
Saudi Arabia	20582	292.598
Spain	25843	290.136
Sweden	50050	292.582
Taiwan	22263	900.225
Thailand	5742	674.597
Turkey	9186	640.799
United Arab Emirates	38649	1,026.476
United States	56084	99.633
Vietnam	2088	783.478
Zambia	1474	1,323.443



*Refined copper is typically consumed by semis fabricators or the “first users” of refined copper, including ingot makers, master alloy plants, wire rod plants, brass mills, alloy wire mills, foundries and foil mills. As a result, per capita consumption of refined copper refers to the amount of copper consumed by industry divided by the total population and does not represent consumption of copper in finished products per person.


Total Copper Usage, Including Direct Melted Copper Scrap, 2004-2014

Thousand metric tonnes copper
Source: ICSG Recyclables Survey March 2016



Major Uses of Copper: Electrical

Copper is the **best non-precious metal conductor** of electricity as it encounters much less resistance compared with other commonly used metals. It sets the standard to which other conductors are compared.



Copper is also used in power cables, either insulated or uninsulated, for high, medium and low voltage applications.

In addition, copper's exceptional strength, ductility and resistance to creeping and corrosion makes it the preferred and safest conductor for commercial and residential building wiring.



Copper is an essential component of **energy efficient** generators, motors, transformers and renewable energy production systems. **Renewable energy**


sources such as solar, wind, geothermal, fuel cells and other technologies are all heavily reliant on copper due to its excellent conductivity.

ICSG, in partnership with the Common Fund for Commodities, the International Copper Association and the International Copper Promotion Council (India), undertook the Transfer of Technology for High Pressure Copper Die Casting in India project. The project facilitated the transfer of technology related to the manufacture of rotors, motors and motor systems using more energy efficient high pressure copper die castings.



Images courtesy of the Copper Development Association.


Major Uses of Copper: Electronics and Communications



Copper plays a key role in worldwide information and communications technologies. HDSL (High Digital Subscriber Line) and ADSL (Asymmetrical Digital Subscriber Line) technology allows for high-speed data transmission, including internet service, through the existing copper infrastructure of ordinary telephone wire.

Copper and copper alloy products are used in domestic subscriber lines, wide and local area networks, mobile phones and personal computers.

Semiconductor manufacturers have launched a revolutionary "copper chip." By using copper for circuitry in silicon chips, microprocessors are able to operate at higher speeds, using less energy. Copper heat sinks help remove heat from transistors and keep computer processors operating at peak efficiency. Copper is also used extensively in other electronic equipment in the form of wires, transformers, connectors and switches.



Images courtesy of the Copper Development Association and European Copper Institute.

Major Uses of Copper: Construction



Copper and brass are the materials of choice for plumbing, taps, valves and fittings. Thanks in part to its aesthetic appeal, copper and its alloys, such as architectural bronze, is used in a variety of settings to build facades, canopies, doors and window frames.

Unlike plastic tubing, copper does not burn, melt or release noxious or toxic fumes in the event of a fire. Copper tubes also help protect water systems from potentially lethal bacteria such as legionella. Copper fire sprinkler systems are a valuable safety feature in buildings.



The use of copper doorknobs and plates exploits copper's **biostatic properties** to

help prevent the transfer of disease and microbes.

Copper roofing, in addition to being attractive, is well known for its resistance to extreme weather conditions. Major public buildings, commercial buildings and homes use copper for their rainwater goods and roofing needs. The telltale green patina finish, that gives copper the classic look of warmth and richness, is the result of natural weathering.



Images courtesy of the Copper Development Association and the International Copper Association.

Major Uses of Copper: Transportation

All major forms of transportation depend on copper to perform critical functions.



Copper-nickel alloys are used on the hulls of boats and ships to **reduce marine biofouling**, thereby reducing drag and improving fuel consumption.

Automobiles and trucks rely on copper motors, wiring, radiators, connectors, brakes and bearings. Today, the average mid-size automobile contains about 22.5 kg (50 lbs) of copper, while luxury cars on average contain around 1,500 copper wires totaling about 1.6 km (1 mile) in length.



Electric and hybrid vehicles can contain even higher levels of copper. Copper's superior thermal conductivity, strength, corrosion resistance and recyclability make it ideal for automotive and truck radiators. New manufacturing technologies, processes and innovative designs are resulting in lighter, smaller and more efficient radiators.

Copper is also used extensively in **new generation airplanes and trains**. New high-speed trains can use anywhere from 2 to 4 tonnes of copper, significantly higher than the 1 to 2 tonnes used in traditional electric trains.



Images courtesy of the Copper Development Association and the European Copper Institute.

Major Uses of Copper: Industrial Machinery and Equipment

Wherever industrial machinery and equipment is found, it is a safe bet that copper and its alloys are present. Due to **their durability, machinability and ability to be cast with high precision** and tolerances, copper alloys are ideal for making products such as gears, bearings and turbine blades.

Copper's superior heat transfer capabilities and ability to withstand extreme environments makes it an ideal choice for heat exchange equipment, pressure vessels and vats.

The **corrosion resistant properties** of copper and copper alloys (such as brass, bronze, and copper-nickel) make them especially suitable for use in marine and other demanding environments.

Vessels, tanks, and piping exposed to seawater, propellers, oil platforms and coastal power stations, all depend on copper's corrosion resistance for protection



Images courtesy of the Copper Development Association.

Major Uses of Copper: Consumer and General Products

From the beginning of civilization copper has been used by various societies to make **coins** for currency.



Today, countries are replacing lower denomination bills with copper-based coins, as these coins last 10, 20 and even 50 times longer.

In the United States, one cent coins and five cent coins contain 2.5% and 75% copper, respectively, while other U.S. coins contain a pure copper core and 75% copper face.¹ In the recently expanded European Union, the Euro coins, first introduced in 2002, also contain copper.

Images courtesy of the International Copper Association and the Copper Development Association.

¹ Source: U.S. Department of the Treasury.



Copper and copper-based products are used in offices, households and workplaces. **Computers, electrical appliances, cookware, brassware, and locks and keys** are just some of the products exploiting copper's advantages.



In addition, in areas known to be copper deficient, copper is used by farmers to supplement livestock and crop feed.

Major Uses of Copper: Usage by Region and End Use Sector, 2015

Source: International Wrought Copper Council (IWCC) and International Copper Association (ICA)



Chapter 6: Copper Recycling

Copper is among the few materials that do not degrade or lose their chemical or physical properties in the recycling process. Considering this, the existing copper reservoir in use can well be considered a



legitimate part of world copper reserves. In the recent decades, an increasing emphasis has been placed on the sustainability of material uses in which the concept of reuse and recycling of metals plays an important role in the material choice and acceptance of products. If appropriately managed, recycling has the potential to extend the use of resources, and to minimize energy use, some emissions, and waste disposal.

Closing metal loops through increased reuse and recycling enhances the overall resource productivity and therefore represents one of the key elements of society's transition towards more sustainable production and consumption patterns. It is widely recognized that recycling is not in opposition to primary metal production, but is a necessary and beneficial complement.

In 2014, ICSG estimates that around 30% of copper usage came from recycled copper. Some countries' copper requirements greatly depend on recycled copper to meet internal demands. However, recycled copper alone cannot meet society's needs, so we also rely on copper produced from the processing of mineral ores.




Images courtesy of the European Copper Institute.

Copper Recycling Rate Definitions

The recycling performance of copper-bearing products can be measured and demonstrated in various ways – depending, among other things, on objectives, scope, data availability and target audience. The three International Non-Ferrous Metal Study Groups in conjunction with various metal industry associations agreed on the common definitions of the three following metal recycling rates:

- The **Recycling Input Rate (RIR)** measures the proportion of metal and metal products that are produced from scrap and other metal-bearing low-grade residues. The RIR is mainly a statistical measurement for raw material availability and supply rather than an indicator of recycling efficiency of processes or products. The RIR has been in use in the metals industry for a long time and is widely available from statistical sources. Major target audiences for this type of “metallurgical” indicator are the metal industry, metal traders and resource policy makers. However, given structural and process variables, it may have limited use as a policy tool.
- The **Overall Recycling Efficiency Rate (Overall RER)** indicates the efficiency with which end of life (EOL) scrap, new scrap, and other metal-bearing residues are collected and recycled by a network of collectors, processors, and metal recyclers. The key target audiences of this particular indicator are metal industry, scrap processors and scrap generators.
- The **EOL Recycling Efficiency Rate (EOL RER)** indicates the efficiency with which EOL scrap from obsolete products is recycled. This measure focuses on end-of-life management performance of products and provides important information to target audiences such as metal and recycling industries, product designers, life cycle analysts, and environmental policy makers.



ICSG Global Copper Recyclables Use, 2006-2014

Thousand metric tonnes

Source: ICSG Recyclables Survey March 2016

	2006	2007	2008	2009	2010	2011	2012	2013	2014
Americas	1,264	1,511	1,280	1,173	1,054	1,199	1,134	1,147	1,154
Asia	3,807	4,381	4,255	4,822	4,967	5,301	4,847	4,785	4,490
Europe	2,585	2,539	2,530	2,054	2,191	2,272	2,316	2,304	2,284
Africa & Oceania	40	25	17	44	32	32	54	41	40
World / Total Scrap Use	7,696	8,456	8,082	8,093	8,244	8,804	8,351	8,276	7,968
Scrap use Annual Growth	6%	10%	-4%	0%	2%	7%	-5%	-1%	-4%
Secondary refined production	2,613	2,739	2,825	2,847	3,236	3,468	3,551	3,493	3,365
Cu content of Direct Melt	5,083	5,717	5,257	5,246	5,008	5,336	4,799	4,783	4,603
Refined Usage	16,934	18,049	17,896	17,903	19,140	19,704	20,461	21,387	22,887
Total copper usage	22,018	23,766	23,153	23,149	24,147	25,041	25,260	26,170	27,489
Recycling Input Rate (RIR)	35%	36%	35%	35%	34%	35%	33%	32%	29%
Asia	30%	32%	30%	34%	35%	36%	36%	36%	34%
Europe	41%	41%	43%	45%	44%	43%	47%	46%	45%
North America	30%	35%	32%	34%	31%	32%	32%	31%	31%
Rest of the World	38%	35%	34%	31%	29%	31%	26%	23%	20%

ICSG Global Copper Scrap Research Project and recent scrap reports

Based on interest expressed by member countries, ICSG launched the copper scrap market project in 2007 in order to provide greater transparency on an increasingly vital component of the world copper market at a time when globalization is reshaping the copper scrap and copper alloy recycling business. The final report of the project was published in August 2010. In addition, ICSG has completed a number of new detailed reports on NAFTA, European, Middle Eastern and Chinese scrap recovery and scrap supply in recent years. For more information about ICSG work related to copper scrap, please contact the ICSG Secretariat at mail@icsg.org


Key Drivers of the Global Copper Scrap Market

- Expanding Copper Mine Production and Refined Copper Substitution
- Industrialization and Economic Growth
- Prices
 - Copper Scrap Prices and Spreads
 - Refined Copper Prices and the Demand for Scrap
- Chinese scrap market developments
- The Shift in Regional Scrap Processing Capacity
- Regulations on Recycling and Trade
- Technology


ICSG Global Copper Scrap Project Reports

- Fabrication and Copper Use in Indian Subcontinent, ASEAN and Oceania (2015)
- Survey of Brass Mills, Copper Products and Foundries in China (2014)
- Middle East and North Africa Copper Use Study (2014)
- Copper and Copper Alloy Scrap Supply Survey in EU-27 (2013)
- Copper Scrap Market Recovery in NAFTA (2012)
- Copper Scrap Supply Survey in China (2012)
- Survey on Nonferrous Metal Scrap and Refined Inputs & Production in Chinese Semis Plants (2012)
- ICSG Global Copper Scrap Research Project Final Report (2010)
- Japan Scrap Market Report

The Flow of Copper




The Flow of Copper (cont.)



Industry Global Flows of Copper (2014) and Derived Recycling Rates

Figures produced for the International Copper Association by Fraunhofer ISI based on Environ. Sci. Technol. **47** (12), pp. 6564–6572 (freely available under <http://dx.doi.org/10.1021/es400069b>).



ANNEX

World Copper Production and Usage, 1960-2015

Thousand Metric Tonnes

Source: ICSG

	Mine Production	Refined Production	Refined Usage		Mine Production	Refined Production	Refined Usage		Mine Production	Refined Production	Refined Usage
1960	3,924	4,998	4,738	1979	7,371	9,200	9,848	1998	12,228	14,032	13,440
1961	4,081	5,127	5,050	1980	7,227	9,261	9,396	1999	12,767	14,576	14,223
1962	4,216	5,296	5,048	1981	7,721	9,573	9,522	2000	13,199	14,793	15,122
1963	4,286	5,400	5,500	1982	7,745	9,319	9,090	2001	13,636	15,638	14,938
1964	4,443	5,739	5,995	1983	7,824	9,541	9,510	2002	13,487	15,354	15,133
1965	4,769	6,059	6,193	1984	8,135	9,440	9,930	2003	13,699	15,272	15,641
1966	4,987	6,324	6,445	1985	8,288	9,616	9,798	2004	14,594	15,918	16,748
1967	4,743	6,004	6,195	1986	8,295	9,920	10,112	2005	14,927	16,572	16,564
1968	5,010	6,653	6,523	1987	8,620	10,148	10,293	2006	14,983	17,288	16,932
1969	5,682	7,212	7,137	1988	8,773	10,512	10,668	2007	15,508	17,895	18,042
1970	5,900	7,592	7,291	1989	9,086	10,908	11,081	2008	15,537	18,191	17,894
1971	5,941	7,404	7,296	1990	9,227	10,805	10,886	2009	15,945	18,234	17,905
1972	6,541	8,100	7,942	1991	9,373	10,686	10,563	2010	15,990	18,981	19,147
1973	6,915	8,544	8,740	1992	9,497	11,042	10,866	2011	15,964	19,601	19,719
1974	7,097	8,759	8,310	1993	9,571	11,274	10,992	2012	16,687	20,203	20,479
1975	6,735	8,187	7,445	1994	9,539	11,118	11,560	2013	18,171	21,060	21,402
1976	7,289	8,632	8,539	1995	10,070	11,817	12,043	2014	18,435	22,483	22,886
1977	7,444	8,884	9,057	1996	11,084	12,628	12,489	2015p	19,125	22,879	23,011
1978	7,306	9,030	9,527	1997	11,514	13,425	13,082				

p - preliminary



International Copper Study Group

Rua Almirante Barroso 38 – 6th

1000-013 Lisbon, Portugal

Tel: +351-21-351-3870 Fax: +351-21-352-4035

e-mail: mail@icsg.org

Web site: www.icsg.org